	Type	L #	Hits	Search Text	DBs
1	BRS	L2	287	(((non-volatile or nonvolatile or (non adj volatile)) near3 memory) same (eras$3 or invalid$5 or delet$3) same (simultaneous$3 or parallel)).clm.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
2	BRS	L1	495	(((non-volatile or nonvolatile or (non adj volatile)) near3 memory) and (eras$3 or invalid$5 or delet$3) same (while or simultaneous$3 or parallel)).clm.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB

MR

	Type	Hits	Search Text	DBs
1	IS&R	9	(("6728826") or ("6549974") or ("6457092") or ("6145050")).PN.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
2	IS&R	2	("5724544").PN.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
3	IS&R	1299	(711/103).CCLS.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
4	IS&R	1061	(711/100).CCLS.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
5	IS&R	680	(711/111).CCLS.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
6	BRS	984	(first with second) near3 (erase)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
7	BRS	4	S6 and S4	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
8	BRS	0	S6 and S5	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
9	BRS	35	S6 and S3	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
10	IS&R	4	(("5724544") or ("6826133")).PN.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
11	IS&R	2	("6826113").PN.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
12	BRS	231	"711"/$.ccls. and parallel near3 command	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
13	BRS	262	"711"/$.ccls. and parallel near3 command	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
14	BRS	2	"6826113".pn.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
15	BRS	199477	((non-volatile or nonvolatile or (non adj volatile)) near3 memory)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
16	BRS	481	parallel near3 erase	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB

MR

	Type	Hits	Search Text	DBs
17	BRS	6432	parallel near3 write	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
18	BRS	7	S15 same S16 same S17	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
19	BRS	9	(S15 same S16) and (S15 same S17)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
20	BRS	1656	parallel with erase	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
21	BRS	18655	parallel with write	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
22	BRS	46	S15 same S20 same S21	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
23	BRS	174	S15 same S20	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
24	BRS	141	(S15 same S17)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
25	BRS	72	(S15 same S16)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
26	BRS	114088	parallel near3 (command or execut$3 or process$3)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
27	BRS	446	((non-volatile or nonvolatile or (non adj volatile)) near3 memory) same S26	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
28	BRS	11745	(memory) with S26	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
29	BRS	121	((non-volatile or nonvolatile or (non adj volatile)) near3 memory) with S26	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
30	BRS	114088	parallel near3 (command or execut$3 or process$3)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
31	BRS	1465	"711"/$.ccls. and (memory) with S30	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
32	BRS	121	((non-volatile or nonvolatile or (non adj volatile)) near3 memory) with S30	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB

MR

	Type	Hits	Search Text	DBs
33	BRS	446	((non-volatile or nonvolatile or (non adj volatile)) near3 memory) same S30	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
34	BRS	15	"711"/$.ccls. and S32	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
35	BRS	114088	parallel near3 (command or execut$3 or process$3)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
36	BRS	446	((non-volatile or nonvolatile or (non adj volatile)) near3 memory) same S35	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
37	BRS	51	"711"/$.ccls. and S36	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
38	BRS	1556	parallel near3 (eras$3 or delet$3 or invalid$3)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
39	BRS	121	((non-volatile or nonvolatile or (non adj volatile)) near3 memory) same S39	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
40	BRS	45429	(eras$3 or delet$3 or invalid$3) with ("same" or while or simultanous$3)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
41	BRS	1668	((non-volatile or nonvolatile or (non adj volatile)) near3 memory) same S41	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
42	BRS	976	((non-volatile or nonvolatile or (non adj volatile)) near3 memory) with S41	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
43	BRS	63	"711"/$.ccls. and ((non-volatile or nonvolatile or (non adj volatile)) near3 memory) with S41	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
44	IS&R	1311	(711/5).CCLS.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
45	IS&R	1647	(711/100).CCLS.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
46	IS&R	2197	(711/103).CCLS.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
47	IS&R	2783	(711/154).CCLS.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB

MR

	Type	Hits	Search Text	DBs
48	IS&R	177	(711/166).CCLS.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
49	IS&R	698	(711/168).CCLS.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
50	BRS	21653	((non-volatile or nonvolatile or (non adj volatile)) near3 memory) same (eras$3 or delet$3 or invalid$3)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
51	BRS	25	S50 and ((non-volatile or nonvolatile or (non adj volatile)) near3 memory) same (eras$3 or delet$3 or invalid$3)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
52	BRS	65	S45 and ((non-volatile or nonvolatile or (non adj volatile)) near3 memory) same (eras$3 or delet$3 or invalid$3)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
53	BRS	77	S46 and ((non-volatile or nonvolatile or (non adj volatile)) near3 memory) same (eras$3 or delet$3 or invalid$3)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
54	BRS	927	S47 and ((non-volatile or nonvolatile or (non adj volatile)) near3 memory) same (eras$3 or delet$3 or invalid$3)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
55	BRS	151	S48 and ((non-volatile or nonvolatile or (non adj volatile)) near3 memory) same (eras$3 or delet$3 or invalid$3)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
56	BRS	19	S49 and ((non-volatile or nonvolatile or (non adj volatile)) near3 memory) same (eras$3 or delet$3 or invalid$3)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB

MR

	Type	Hits	Search Text	DBs
57	BRS	109	("4210959" | "4355376" | "4405952" | "4450559" | "4456971" | "4498146" | "4525839" | "4616311" | "4654847" | "4710871" | "4746998" | "4748320" | "4757474" | "4774700" | "4800520" | "4896262" | "4914529" | "4920518" | "4924331" | "4953122" | "5070474" | "5168465" | "5198380" | "5200959" | "5226168" | "5268318" | "5268870" | "5270979" | "5293560" | "5297148" | "5303198" | "5315541" | "5337275" | "5341330" | "5341339" | "5353256" | "5357475" | "5369615" | "5388083" | "5396468" | "5418752" | "5422842" | "5428621" | "5430859" | "5434825" | "5438573" | "5471478" | "5479638" | "5485595" | "5495442" | "5504760" | "5508971" | "5524230" | "5532962" | "5532964" | "5534456" | "5535328" | "5544118" | "5544356" | "5554553" | "5563825" | "5566314" | "5568439" | "5583812" | "5592420" | "5642312" | "5663901" | "5693570" | "5712819" | "5719808" | "5778418").PN. OR ("6034897").URPN.	US-PGPUB; USPAT; USOCR
58	BRS	76	S58 and erase	US-PGPUB; USPAT; USOCR
59	BRS	495	(((non-volatile or nonvolatile or (non adj volatile)) near3 memory) and (eras$3 or invalid$5 or delet$3) same (while or simultaneous$3 or parallel)).clm.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB

MR

60	BRS	287	(((non-volatile or nonvolatile or (non adj volatile)) near3 memory) same (eras$3 or invalid$5 or delet$3) same (simultaneous$3 or parallel)).clm.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB

MR